

N-Hance Lightspeed® technology instantly cures a durable topcoat onto your wood surfaces, leaving them 100% ready for immediate use — and protected for years to come.



Our proprietary Lightspeed® Nano technology uses a powerful ultraviolet (UV) light to instantly cure a final, durable topcoat onto your wood surfaces — leaving them 100% ready for immediate use when we leave.

Lightspeed® Nano is engineered for superior performance, right down to the molecular level. Our advanced UV technology creates a rock-hard, factory-grade finish that's more durable and resistant to chips, scratches, and peeling, giving you a beautiful finish that withstands the test of time.

**Lightspeed® Nano**

- ✓ **100% READY FOR IMMEDIATE USE**
- ✓ **ULTRAVIOLET (UV) LIGHT PROVIDES A DURABLE, FACTORY FINISH**
- ✓ **INDUSTRY LEADING DURABILITY AND RESISTANCE TO CHIPPS, SCRATCHES, AND PEELING**
- ✓ **NON-TOXIC AND VERY LITTLE ODOUR**



\*Based on results from an independent job using Lightspeed® UV finish\*




THE N-HANCE® **Lightspeed** FINISH

**Durability**

Durability (Wear Index): A measure of how much finish is lost over time due to abrasive forces. The lower the number, the more durable the finish.


*Lower Wear Index = Better Durability*



**Adhesion**

Adhesion (Scrape Adhesion): A measure of how well a finish bonds to a surface. The higher the number, the better bonding finish the product is.

\*Note: Maximum capability of test instrument is 10kg.



**Scratch Resistance**

Hardness (Pencil Hardness): A measure of surface hardness rated from 9B (softest) to 9H (hardest). The softer finishes tend to scratch and mark easily.

PENCIL HARDNESS	Scratch Resistance Results				
	Lightspeed	National Brand A	National Brand B	Oil Sample - Nat. Brand A	Oil Sample - Nat. Brand B
9H					
8H					
7H					
6H					
5H					
4H	●				
3H					
2H					
HB					
F			●		
HB		●		●	●
B					
2B					
3B					
4B					
5B					
6B					
7B					
8B					
9B					
FINISH	Lightspeed	National Brand A	National Brand B	Oil Sample - Nat. Brand A	Oil Sample - Nat. Brand B

*Harder*

*Softer*